




PD-761

Corrosion Protection Color

ST Series

This product is intended for use in industrial applications where equipment or components are exposed to the environment on a regular basis. This is a fast drying 1K product that meets most VOC regulations in North America. Corrosion Protection Color is supplied ready to use.



Features

- High solids
- Durable finish
- Excellent holdout
- Rust and corrosion protection (ferrous metals)
- Easily applied (brush, spray, roll)

Compatible Surfaces

Corrosion Protection Color may be applied over:

- Properly cleaned and sanded steel
- Properly cleaned and sanded aluminum
- Properly cleaned and sanded stainless steel
- Properly cleaned and sanded fiberglass
- Properly cleaned and sanded galvanized metal

Application Data

Surface Preparation:



1. Apply appropriate PPG Wax and Grease Remover to clean and degrease surface.
2. Remove all loose scale and paint with a wire brush. Sand painted area with 80-180 grit sandpaper.
3. Re-clean with PPG Wax and Grease Remover.

Application Procedure:



1. Apply 1 - 3 coats, regardless of application method selected.
2. Allow to flash 5-10 minutes between coats.
3. Allow 1 hour drying time prior to placing painted surfaces in direct sunlight.

For best results:

- When spraying from conventional, use 45-50 psi; or 8-10 psi at the cap for HVLP equipment.
- Do not apply when air or surface temperature is below 50°F.
- When using airless spray equipment, spray directly from the original can.
- Maximum rust protection is realized from thicker applications.

Properties:

Product	Packaged VOC (lbs./US Gal.)	Volume Solids (RTS)	SQ. FT. Coverage @ 1 mil (100% transfer efficiency)
ST1202 Flat Black	3.5 or less	46.66	748.4
ST1204 Industrial White	3.5 or less	47.09	755.3
ST1206 International Red	3.5 or less	45.88	735.9
ST1207 Caterpillar Yellow	3.5 or less	47.24	757.7
ST1208 Dark Grey	3.5 or less	48.02	770.2
ST1210 Light Grey	3.5 or less	46.73	749.5
ST1211 John Deere Green	3.5 or less	47.65	764.3
ST1212 Silver	3.5 or less	46.24	741.7

See Material Safety Data Sheet and Labels for additional safety information and handling instructions.

EMERGENCY MEDICAL OR SPILL CONTROL INFORMATION (304) 843-1300. IN CANADA (514) 645-1320. Materials described are designed for application by professional, trained personnel using proper equipment and are not intended for sale to the public. Products mentioned may be hazardous and should only be used according to directions, while observing precautions and warning statements listed on label. Statements and methods described are based upon the best information and practices known to PPG Industries. Procedures for applications mentioned are suggestions only and are not to be construed as representations or warranties as to performance, results, or fitness for any intended use, nor does PPG Industries warrant freedom from patent infringement in the use of any formula or process set forth herein.

PPG Industries

World Leaders In Automotive Finishes

PPG Industries
19699 Progress Drive
Strongsville, OH 44149

PPG Canada Inc.
2301 Royal Windsor Dr.
Mississauga, Ontario L5J 1K5